

Test Report

No.: SHAHL25026507301

Date: Oct 17, 2025

Page 1 of 6

Client Name: Jiangsu Bohui Paper Industry Co., Ltd.

Client Address: Buildings4, East of Huangang East Road and North of Grade4 Waterway, Paper Park, Dafeng District, Port District Yancheng City, Jiangsu Province, P.R. China

Sample Description: COATED IVORY BOARD

The above sample(s) and information were provided by the client.

SGS No.: QDHL2510014777PA

Sample Receiving Date: Oct 13, 2025

Testing Period: Oct 13, 2025 ~ Oct 17, 2025

Test Requested: Select test(s) as requested by the client.

Testing Performed: Follow selected test(s) as requested by client.

	Test Requirement	Conclusion
1	Ozone Depleting Substances (ODS) and Global Warming Substances	See Results

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Lucia Liu

Lucia Liu

Approved Signatory

Scan to see the report



SHAHL25026507301
Verification:
check.sgsonline.com.cn



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Chemical Laboratory

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No.: SHAHL25026507301

Date: Oct 17, 2025

Page 2 of 6

Test Result(s):

Test Part Description:

SN ID	Sample No.	SGS Sample ID	Description
SN1	A1	SHA25-0265073-0001.C001	White paper

Remarks:

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Ozone Depleting Substances (ODS) and Global Warming Substances

Test Method: With reference to US EPA 5021A:2014, analysis was performed by HS-GC-MS.

Test Item(s)	CAS No.	Unit(s)	MDL	A1
CFC				
CFC-11	75-69-4	µg/g	0.1	ND
CFC-12	75-71-8	µg/g	0.1	ND
CFC-13	75-72-9	µg/g	0.1	ND
CFC-111	354-56-3	µg/g	0.1	ND
CFC-112a	76-11-9	µg/g	0.1	ND
CFC-112	76-12-0	µg/g	0.1	ND
CFC-113	76-13-1	µg/g	0.1	ND
CFC-113a	354-58-5	µg/g	0.1	ND
CFC-114	76-14-2	µg/g	0.1	ND
CFC-114a	374-07-2	µg/g	0.1	ND
CFC-115	76-15-3	µg/g	0.1	ND
CFC-211	422-78-6	µg/g	0.1	ND
CFC-212	661-96-1	µg/g	0.1	ND
CFC-213	1652-89-7	µg/g	0.1	ND
CFC-214	677-68-9	µg/g	0.1	ND
CFC-215aa	1599-41-3	µg/g	0.1	ND
CFC-215	76-17-5	µg/g	0.1	ND
CFC-216	661-97-2	µg/g	0.1	ND
CFC-216aa	1652-80-8	µg/g	0.1	ND
CFC-217	422-86-6	µg/g	0.1	ND
HCFC				
HCFC-21	75-43-4	µg/g	0.1	ND
HCFC-22	75-45-6	µg/g	0.1	ND
HCFC-123	306-83-2	µg/g	0.1	ND
HCFC-124	2837-89-0	µg/g	0.1	ND
HCFC-141b	1717-00-6	µg/g	0.1	ND
HCFC-142b	75-68-3	µg/g	0.1	ND
HCFC-31	593-70-4	µg/g	0.1	ND
HCFC-121	354-14-3	µg/g	0.1	ND
HCFC-122	354-21-2	µg/g	0.1	ND
HCFC-123a	354-23-4	µg/g	0.1	ND
HCFC-124a	354-25-6	µg/g	0.1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTC (Shanghai) Technical Services (Shanghai) Co., Ltd.
Chemical Laboratory

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No.: SHAHL25026507301

Date: Oct 17, 2025

Page 3 of 6

Test Item(s)	CAS No.	Unit(s)	MDL	A1
HCFC-131	359-28-4	µg/g	0.1	ND
HCFC-131a	811-95-0	µg/g	0.1	ND
HCFC-132a	471-43-2	µg/g	0.1	ND
HCFC-132b	1649-08-7	µg/g	0.1	ND
HCFC-132	431-06-1	µg/g	0.1	ND
HCFC-133a	75-88-7	µg/g	0.1	ND
HCFC-221	422-26-4	µg/g	0.1	ND
HCFC-133	431-07-2	µg/g	0.1	ND
HCFC-222	422-30-0	µg/g	0.1	ND
HCFC-141	430-57-9	µg/g	0.1	ND
HCFC-223	422-52-6	µg/g	0.1	ND
HCFC-224	422-54-8	µg/g	0.1	ND
HCFC-142	338-65-8	µg/g	0.1	ND
HCFC-225ca	422-56-0	µg/g	0.1	ND
HCFC-151	762-50-5	µg/g	0.1	ND
HCFC-225cb	507-55-1	µg/g	0.1	ND
HCFC-226	431-87-8	µg/g	0.1	ND
HCFC-231	421-94-3	µg/g	0.1	ND
HCFC-232	460-89-9	µg/g	0.1	ND
HCFC-233	7125-84-0	µg/g	0.1	ND
HCFC-234	425-94-5	µg/g	0.1	ND
HCFC-235	460-92-4	µg/g	0.1	ND
HCFC-225	141563-84-0	µg/g	0.1	ND
HCFC-241	666-27-3	µg/g	0.1	ND
HCFC-242	460-63-9	µg/g	0.1	ND
HCFC-243	338-75-0	µg/g	0.1	ND
HCFC-244	679-85-6	µg/g	0.1	ND
HCFC-251	421-41-0	µg/g	0.1	ND
HCFC-252	819-00-1	µg/g	0.1	ND
HCFC-253	460-35-5	µg/g	0.1	ND
HCFC-261fc	7799-56-6	µg/g	0.1	ND
HCFC-261	420-97-3	µg/g	0.1	ND
HCFC-271	430-55-7	µg/g	0.1	ND
HCFC-262da	102738-79-4	µg/g	0.1	ND
HCFC-262ca	420-99-5	µg/g	0.1	ND
HBFC				
CHF ₂ Br	1511-62-2	µg/g	0.1	ND
CH ₂ FBr	373-52-4	µg/g	0.1	ND
C ₂ HFBBr ₄	-	µg/g	0.1	ND
C ₂ HF ₂ Br ₃	677-34-9	µg/g	0.1	ND
C ₂ HF ₃ Br ₂	354-04-1	µg/g	0.1	ND
C ₂ HF ₄ Br	-	µg/g	0.1	ND
C ₂ H ₂ FBr ₃	-	µg/g	0.1	ND
C ₂ H ₂ F ₂ Br ₂	75-82-1	µg/g	0.1	ND
C ₂ H ₂ F ₃ Br	421-06-7	µg/g	0.1	ND
C ₂ H ₃ FBr ₂	358-97-4	µg/g	0.1	ND
C ₂ H ₃ F ₂ Br	359-07-9	µg/g	0.1	ND
C ₂ H ₄ FBr	762-49-2	µg/g	0.1	ND
C ₃ HFBBr ₆	-	µg/g	0.1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CTC (Shanghai) Technical Services (Shanghai) Co., Ltd.
Chemical Laboratory

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No.: SHAHL25026507301

Date: Oct 17, 2025

Page 4 of 6

Test Item(s)	CAS No.	Unit(s)	MDL	A1
C ₃ HF ₂ Br ₅	-	µg/g	0.1	ND
C ₃ HF ₃ Br ₄	-	µg/g	0.1	ND
C ₃ HF ₄ Br ₃	-	µg/g	0.1	ND
C ₃ HF ₅ Br ₂	431-78-7	µg/g	0.1	ND
C ₃ HF ₆ Br	2252-78-0	µg/g	0.1	ND
C ₃ H ₂ FBr ₅	-	µg/g	0.1	ND
C ₃ H ₂ F ₂ Br ₄	-	µg/g	0.1	ND
C ₃ H ₂ F ₃ Br ₃	421-90-9	µg/g	0.1	ND
C ₃ H ₂ F ₄ Br ₂	460-86-6	µg/g	0.1	ND
C ₃ H ₂ F ₅ Br	32778-10-2	µg/g	0.1	ND
C ₃ H ₃ FBr ₄	-	µg/g	0.1	ND
C ₃ H ₃ F ₂ Br ₃	-	µg/g	0.1	ND
C ₃ H ₃ F ₃ Br ₂	431-21-0	µg/g	0.1	ND
C ₃ H ₃ F ₄ Br	679-84-5	µg/g	0.1	ND
C ₃ H ₄ FBr ₃	-	µg/g	0.1	ND
C ₃ H ₄ F ₂ Br ₂	460-25-3	µg/g	0.1	ND
C ₃ H ₄ F ₃ Br	460-32-2	µg/g	0.1	ND
C ₃ H ₅ FBr ₂	453-00-9	µg/g	0.1	ND
C ₃ H ₅ F ₂ Br	420-89-3	µg/g	0.1	ND
C ₃ H ₆ FBr	-	µg/g	0.1	ND
Halon				
Halon 1211	353-59-3	µg/g	0.1	ND
Halon 1301	75-63-8	µg/g	0.1	ND
Halon 2402	124-73-2	µg/g	0.1	ND
Others				
Dibromofluoromethane	1868-53-7	µg/g	0.1	ND
Methyl bromide	74-83-9	µg/g	0.1	ND
Bromochloromethane	74-97-5	µg/g	0.1	ND
SF ₆	2551-62-4	µg/g	0.1	ND
HFC				
HFC-23	75-46-7	µg/g	0.1	ND
HFC-32	75-10-5	µg/g	0.1	ND
HFC-41	593-53-3	µg/g	0.1	ND
HFC-43-10mee	138495-42-8	µg/g	0.1	ND
HFC-125	354-33-6	µg/g	0.1	ND
HFC-134	359-35-3	µg/g	0.1	ND
HFC-134a	811-97-2	µg/g	0.1	ND
HFC-152a	75-37-6	µg/g	0.1	ND
HFC-143	420-46-2	µg/g	0.1	ND
HFC-143a	430-66-0	µg/g	0.1	ND
HFC-227ea	431-89-0	µg/g	0.1	ND
HFC-236 cb	677-56-5	µg/g	0.1	ND
HFC-236ea	431-63-0	µg/g	0.1	ND
HFC-236fa	690-39-1	µg/g	0.1	ND
HFC-245ca	679-86-7	µg/g	0.1	ND
HFC-245fa	460-73-1	µg/g	0.1	ND
HFC-365mfc	406-58-6	µg/g	0.1	ND
PFC				
Perfluoromethane	75-73-0	µg/g	0.1	ND



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Technical Services (Shanghai) Co., Ltd.
Chemical Laboratory

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233

t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com

Test Report

No.: SHAHL25026507301

Date: Oct 17, 2025

Page 5 of 6

Test Item(s)	CAS No.	Unit(s)	MDL	A1
Perfluoroethane	76-16-4	µg/g	0.1	ND
Perfluoropropane	76-19-7	µg/g	0.1	ND
Perfluorobutane	355-25-9	µg/g	0.1	ND
Perfluoropentane	678-26-2	µg/g	0.1	ND
Perfluorohexane	355-42-0	µg/g	0.1	ND
Perfluorocyclobutane	115-25-3	µg/g	0.1	ND
CHC				
1,3-dichloropropane	142-28-9	µg/g	0.1	ND
2,2-dichloropropane	594-20-7	µg/g	0.1	ND
Carbon tetrachloride	56-23-5	µg/g	0.1	ND
Chloroethane	75-00-3	µg/g	0.1	ND
Chloroform	67-66-3	µg/g	0.1	ND
Chloromethane	74-87-3	µg/g	0.1	ND
Cis-1,2-dichloroethene	156-59-2	µg/g	0.1	ND
Cis-1,3-dichloropropene	10061-01-5	µg/g	0.1	ND
Hexachlorobutadiene	87-68-3	µg/g	0.1	ND
Methylene chloride	75-09-2	µg/g	0.1	ND
Tetrachloroethene	127-18-4	µg/g	0.1	ND
Trans-1,2-dichloroethene	156-60-5	µg/g	0.1	ND
Trans-1,3-dichloropropene	10061-02-6	µg/g	0.1	ND
Trichloroethylene	79-01-6	µg/g	0.1	ND
1,1,1,2-tetrachloroethane	630-20-6	µg/g	0.1	ND
1,1,1-trichloroethane	71-55-6	µg/g	0.1	ND
1,1,2,2-tetrachloroethane	79-34-5	µg/g	0.1	ND
1,1,2-trichloroethane	79-00-5	µg/g	0.1	ND
1,1-dichloroethane	75-34-3	µg/g	0.1	ND
1,1-dichloroethene	75-35-4	µg/g	0.1	ND
1,1-dichloropropene	563-58-6	µg/g	0.1	ND
1,2,3-trichloropropane	96-18-4	µg/g	0.1	ND
1,2-dichloroethane	107-06-2	µg/g	0.1	ND
1,2-dichloropropane	78-87-5	µg/g	0.1	ND

Unless otherwise stated, the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule ($w=0$) stated in ILAC-G8:09/2019.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com


Test Report

No.: SHAHL25026507301

Date: Oct 17, 2025

Page 6 of 6

Sample Photo:



SGS authenticate the photo on original report only
*** End of Report ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No. 889 Yishan Road Xuhui District, Shanghai China 200233 t E&E (86-21) 61402553 f E&E (86-21) 64953679 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t HL (86-21) 61402594 f HL (86-21) 61156899 sgs.china@sgs.com